Versablock Rotating Terminal Block (130 Series)

Model 130-

NAME	ORDER NUMBER
Versablock Rotating Terminal Block	**130-**
VERSABLOCK WIRE SUPPORT	**CP-2111-0005**

Versablock® Rotating Terminal Blocks are a family of rotating terminal blocks that offer termination arrangements configured for decimal and octal pair-count applications.

The product family is intended for use on central office (CO) frames, private automatic branch exchange (PABX) frames or any application where a compact terminal block is required.

The Versablock® Rotating Terminal Block is a molded plastic assembly measuring 200 mm (7.875 in.) wide, 98.4 mm (3.875 in.) high and 121 mm (4.75 in.) deep.

A variety of cross-connect terminal counts is available up to128 pairs. Cross-connect terminal options include both single and bifurcated wire-wrap and bifurcated quick-clip insulation displacement connection (IDC). Each Versablock® Rotating Terminal Block has a protective front cover to shield connections from wire clippings and other debris. The cover snaps on and off easily.

Jumper wires are routed through front and rear fanning strips. The front slots are aligned with the wire-dressing channels between terminal rows. This allows rapid cross-connect wire identification and promotes orderly dressing.

An integral locking system is employed on the connectors of connectorized units. This locking mechanism safeguards connectors against accidental uncoupling. The standard male connectors are equipped with windows that engage pre-installed spring clips at both ends of female cable connectors. The connectors may be readily disengaged by means of a ball- point pen or similar pointed object. This latching arrangement eliminates the need for additional locking hardware. Alternately, screws and tie-wraps may be used if desired.

The following mounting hardware is provided with each Versablock® Rotating Terminal Connecting Block:

- Two 12-24 x 3/8 inch screws
- Four 8-32 x 5/16 inch screws
- Four 8-32 hex nuts

Note: A QTH38B tool is required for terminating cross-connect (jumper) wires on blocks ordered with the bifurcated quick-clip IDCs on the cross-connect field.

COMTEST NETWORKS INC.
+1-877-369-5499
info@comtestnetworks.com



ORDERING INFORMATION

How to Order

Choose the Versablock® Rotating Terminal Block configuration that meets your requirements. The type and number of connectors, number of terminal pairs and terminal type should be taken into consideration.

Product Code	Part Number	Row & Column	Terminal Type, Cross-Connect	Terminal Type, Equipment	Applications
130-A4128L001	**A0337920**	8x32	128-pair bifurcated wire-wrap	Four 64-pin connectors (male)	DMS-100: lines
130-A4128W001	**A0337925**	8x32	128-pair single wire-wrap	Four 64-pin connectors (male)	DMS-10: lines; DMS-100: lines; GTD-5: misc.
130-A4128W002	**A0337926**	8x32	128-pair single wire-wrap	Four 64-pin connectors (male)	DMS-10: lines; DMS-100: trunks/ lines
130-A4128L011	**A0337923**	8x32	128-pair bifurcated wire-wrap	Four 64-pin connectors (male)	DMS-10: lines; DMS-100: lines

COMTEST NETWORKS INC.
+1-877-369-5499
info@comtestnetworks.com

130-A4128W011	**A0337928**	8x32	128-pairsingle wire-wrap	Four 64-pin connectors (male)	DMS-100: lines
130-N0128L001	**A0337625**	8x32	128-pair bifurcated wire-wrap	Bifurcated wire-wrap	DMS-100: misc.; AT&T: trunk/lines/ special services
130-N0128W001	**A0337626**	8x32	128-pair single wire-wrap	Bifurcated wire-wrap	DMS-100: misc.; AT&T: trunk/toll/ special services
130-D5125W027	**A0348396**	8x32	125-pair single wire-wrap	Five 50-pin connectors (male)	–
130-D5120L005	**A0337946**	8x30	120-pair bifurcated wire-wrap	Five 50-pin connectors (male)	DMS-10: trunks/ peripheral equipment
130-D5120W005	**A0389337**	8x30	120-pair single wire-wrap	Five 50-pin connectors (male)	–
130-N0120W020	**A0337624**	8x30	120-pair single wire-wrap	Bifurcated wire-wrap	AT&T: SMAS
130-D4100W012	**A0355744**	8x25	100-pair single wire-wrap	Four 50-pin connectors (male)	–
130-D4100L019	**A0340090**	8x25	100-pair bifurcated wire-wrap	Four 50-pin connectors (male)	–
130-D4100W019	**A0397592**	8x25	100-pair single wire-wrap	Four 50-pin connectors (male)	–
130-D4100L012	**A0337940**	8x25	100-pair single wire-wrap	Four 50-pin connectors (male)	NT5M Digital Announcer

COMTEST NETWORKS INC.
+1-877-369-5499
info@comtestnetworks.com

130-D4100L018	**A0337941**	8x25	156-pair bifurcated wire-wrap	Four 50-pair connectors (male)	
130-N0100L012	**A0337621**	8x25	100-pair bifurcated wire-wrap	Bifurcated wire-wrap	AT&T: trunk/ toll/special services
130-N0100W012	**A0337622**	8x25	100-pair single wire-wrap	Bifurcated wire-wrap	GTD-5: misc.; AT&T: trunk/ toll/special services
130-D4096W015	**A0337937**	8x24	96-pair single wire-wrap	Four 50-pin connectors (male)	GTD-5: lines/ misc.
130-N0096L013	**A0337619**	6x32	96-pair bifurcated wire-wrap	Bifurcated wire-wrap	–
130-N0096W013	**A0333143**	6x32	96-pair single wire-wrap	Bifurcated wire-wrap	–
130-N0096W014	**A0333145**	8x24	96-pair single wire-wrap	Bifurcated wire-wrap	–
130-M0156R067B		12x26	156-pair single wire wrap	156-pair single wire wrap	–
QBB66QN8X32	**A0330675**	8x32	128-pair bifurcated quick-clip IDC	Bifurcated wire-wrap	–
QBB66QP8X32H4-00	**A0330680**	8x32	128-pair bifurcated quick-clip IDC	Four 64-pin connectors (male)	–
QBB66QP125SF5-42	**A0393336**	–	125-pair bifurcated quick-clip IDC	Five 50-pin connectors (male)	DMS-1U

COMTEST NETWORKS INC.
+1-877-369-5499
info@comtestnetworks.com

QBB66QP6X40F6-39	**A0375245**	6x40	120-pair bifurcated quick-clip IDC	Six 50-pin connectors (male)	Wescom 931ERS
QBB66QN8X25	**A0390886**	8x25	100-pair bifurcated quick-clip IDC	Bifurcated wire-wrap	–
QBB66QN5X40	**A0330673**	5x40	100-pair bifurcated quick-clip IDC	Bifurcated wire-wrap	–
QBB66QP5X40F4-00	**A0410440**	5x40	100-pair bifurcated quick-clip IDC	Four 50-pin connectors (male)	–

COMTEST NETWORKS INC.
+1-877-369-5499
info@comtestnetworks.com