




96-Port 4x24 Plug ADTRAN System 5 Wire Wrap Splitter Install Guide SA-2811-P324




Item	Qty	Description
1	1	2811 Mount Plate
2	4	8-32 x 1/2 Phil Pan Head Screw
3	4	8-32 Nut
4	4	#8 Split Washer

NOTE: 2811 MUST BE INSTALLED IN RESTRICTED ACCESS LOCATION



96-Port 4x24 Plug ADTRAN System 5 Wire Wrap Splitter Install Guide

SA-2811-P324






96-Port 4x24 Plug ADTRAN System 5 Wire Wrap Splitter Install Guide

SA-2811-P324

WIRE WRAP TO RJ21 PATH





96-Port 4x24 Plug ADTRAN System 5 Wire Wrap Splitter Install Guide

SA-2811-P324 WIRE WRAP PANEL

		SHELF #						CARD#																			
LINE POTS EQUIP	T	4	8	12	16	20	24	28	32	36	40	44	48	4	8	12	16	20	24	28	32	36	40	44	48	T	LINE POTS EQUIP
	R	4	8	12	16	20	24	28	32	36	40	44	48	4	8	12	16	20	24	28	32	36	40	44	48	R	
	T	3	7	11	15	19	23	27	31	35	39	43	47	3	7	11	15	19	23	27	31	35	39	43	47	T	
	R	3	7	11	15	19	23	27	31	35	39	43	47	3	7	11	15	19	23	27	31	35	39	43	47	R	
CABLES PAIR	T	2	6	10	14	18	22	26	30	34	38	42	46	2	6	10	14	18	22	26	30	34	38	42	46	T	
	R	2	6	10	14	18	22	26	30	34	38	42	46	2	6	10	14	18	22	26	30	34	38	42	46	R	
	T	1	5	9	13	17	21	25	29	33	37	41	45	1	5	9	13	17	21	25	29	33	37	41	45	T	
	R	1	5	9	13	17	21	25	29	33	37	41	45	1	5	9	13	17	21	25	29	33	37	41	45	R	

**NOTE: ONLY 26 AWG TO 22 AWG TELECOM WIRE TO BE USED
DSL RJ21 PIN OUT**

PORT		SIGNAL	RJ PIN	PORT		SIGNAL	RJ PIN
RJ 1 & 3	RJ 2 & 4			RJ 1 & 3	RJ 2 & 4		
1	25	RING	1	13	37	RING	26
		TIP	2			TIP	27
2	26	RING	3	14	38	RING	28
		TIP	4			TIP	29
3	27	RING	5	15	39	RING	30
		TIP	6			TIP	31
4	28	RING	7	16	40	RING	32
		TIP	8			TIP	33
5	29	RING	9	17	41	RING	34
		TIP	10			TIP	35
6	30	RING	11	18	42	RING	36
		TIP	12			TIP	37
7	31	RING	14	19	43	RING	39
		TIP	15			TIP	40
8	32	RING	16	20	44	RING	41
		TIP	17			TIP	42
9	33	RING	18	21	45	RING	43
		TIP	19			TIP	44
10	34	RING	20	22	46	RING	45
		TIP	21			TIP	46
11	35	RING	22	23	47	RING	47
		TIP	23			TIP	48
12	36	RING	24	24	48	RING	49
		TIP	25			TIP	50